

(12) UK Patent Application (19) GB (11) 2 377 656 (13) A

(43) Date of A Publication 22.01.2003

(21) Application No 0128103.9

(22) Date of Filing 23.11.2001

(30) Priority Data

(31) 01043286

(32) 19.07.2001

(33) KR

(71) Applicant(s)

Samsung Kwangju Electronics Co., Ltd.
(Incorporated in the Republic of Korea)
271 Oseon-dong, Kwangsan-gu,
Kwangju-city, Republic of Korea

(72) Inventor(s)

Jang-keun Oh
Jung-seon Park

(74) Agent and/or Address for Service

Maguire Boss
5 Crown Street, ST IVES, Cambridgeshire,
PE27 5EB, United Kingdom

(51) INT CL⁷

B01D 50/00, A47L 9/16

(52) UK CL (Edition V)

B1T TNAB

B2P P10B2A3 P6B

(56) Documents Cited

GB 2264444 A

GB 1214730 A

GB 0657375 A

DE 029709879 U

JP 2001121040 A

US 6042628 A

(58) Field of Search

UK CL (Edition T) B1T TNAB TNRT, B2P P6B

INT CL⁷ A47L 9/16, B01D 50/00


Other: Online: WPI, EPODOC, JAPIO

(54) Abstract Title

Dust collecting apparatus with cyclone and filter

(57) A dust collecting apparatus for a vacuum cleaner comprises a cyclone followed by a filter. Air is drawn in through a tangential passage 21 connected with a brush (not shown), and whirls around chamber 20 depositing dust in chamber 30. The air then flows out through passage 22 to a vacuum-generating device (not shown) via a filter assembly. The filter assembly comprises a grill body 110 with passages 111 and filter 130. The grill body has outer and inner walls, with the filter between them. The filter 130 is made up of filter supports 131 and filter portions 132. The filter assembly is closed off at the base by a sealing member 120, 121 held in place by a locking knob 140 cooperating with a cam (152).

FIG.5



GB 2 377 656 A

FIG. 1




FIG. 2




FIG. 3




FIG.4





FIG. 5



TITLE: GRILL ASSEMBLY OF CYCLONE DUST COLLECTING APPARATUS
FOR VACUUM CLEANER

BACKGROUND OF THE INVENTION

5 1. Field of the Invention

The present invention relates to a cyclone dust collecting apparatus for a vacuum cleaner, and more particularly to a grill assembly of a cyclone dust collecting apparatus for a vacuum cleaner used for preventing dust from being drawn into a vacuum-generating device.

10 2. Description of the Related Art

FIG. 1 shows a conventional cyclone dust collecting apparatus for a vacuum cleaner. According to FIG. 1, the conventional cyclone dust collecting apparatus 10 for a vacuum cleaner comprises a cyclone body 20 and a dust-collecting portion 30.

15 An air suction passage 21 connected with a brush assembly (not shown) of the vacuum cleaner is disposed at an upper part of the cyclone body 20. An air drawn through the air suction passage 21 flows into a tangential direction of the cyclone body 20 and forms a whirling air current.

An air discharge passage 22 connected with a vacuum-generating device
20 (not shown) of the vacuum cleaner is disposed at an upper central part of the cyclone body 20. In order to prevent dust from being drawn into the vacuum-generating device, a grill 23 is disposed at an inlet of the air discharge passage 22.

The grill 23 has a plurality of passages 24 formed therein. When the vacuum-generating device of the vacuum cleaner operates, the air containing all kinds of filth existing on a cleaning surface is drawn into the cyclone body 20 through the brush assembly and the air suction passage 21.

5 The air drawn into the cyclone body 20 forms the whirling air current, and the dust included in the air is separated by a centrifugal force and collected in the dust-collecting portion 30. Then, the air flows to the vacuum-generating device through the passages 24 of the grill 23 and the air discharge passage 22.

10 On the other hand, some filth that has not been separated from the air passes through the grill 23 via the passages 24 of the grill 23, and flows to the vacuum-generating device through the air discharge passage 22 and deteriorates dust-collecting function of the vacuum cleaner.

15 SUMMARY OF THE INVENTION

An object of the present invention is to provide a grill assembly of a cyclone dust collecting apparatus for a vacuum cleaner capable of improving dust collecting function of the vacuum cleaner by preventing dust from being drawn to a vacuum-generating device after passing through a grill.

20 The above object is accomplished by providing a grill assembly of a cyclone dust collecting apparatus for a vacuum cleaner according to the present invention being disposed at an upper part of an air discharge passage

of a cyclone body for separating dust from a whirling air current by a centrifugal force by forming the whirling air current from a drawn air, and the grill assembly prevents dust from being drawn to a vacuum-generating device of the vacuum cleaner. The grill assembly comprises a grill body having a plurality of passages formed therein and filtering means disposed along an interior wall of the grill body for filtering dust drawn into the grill body through the passages.

In addition, the above object is accomplished by providing a grill assembly of a dust collecting apparatus for a vacuum cleaner according to the present invention comprising a grill body having a plurality of passages formed therein, and the grill body is a cylindric form having openings at both ends, a sealing member removably connected with the grill body for sealing one open end of the grill body, and in order to filter dust drawn into the grill body through the passages, filtering means disposed along an interior wall of the grill body.

In a preferred embodiment of the present invention, the filtering means comprises a filter support portion integrally formed with the sealing member and a filter attached at the filter support portion.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a sectional view showing a conventional dust collecting apparatus for a vacuum cleaner;

FIG. 2 is an exploded perspective view showing a grill assembly of a dust collecting apparatus for a vacuum cleaner according to the present invention;

FIG. 3 is a sectional view of an assembled grill assembly;

FIG. 4 is a perspective view showing a connection of a knob of the grill
5 assembly of FIG. 2; and

FIG. 5 is a sectional view showing the grill assembly of FIG. 2 being installed at a cyclone dust collecting apparatus.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

10 From now on, the preferred embodiment of the present invention will be described in great detail by referring the appended drawings.

FIG. 2 shows a grill assembly of a cyclone dust collecting apparatus for a vacuum cleaner according to the present invention. The grill assembly 100 of the cyclone dust collecting apparatus for a vacuum cleaner comprises a grill
15 body 110, a sealing member 120, and filtering means 130.

The grill body 110 has a plurality of passages 111 formed therein. The grill body 110 is a cylindric type having openings at both ends. An upper opening is connected with an air discharge passage 22 and a lower opening is sealed by the sealing member 120.

20 A dust backflow prevent unit 121 is formed at an outer circumference of the sealing member 120. The filth backflow prevent unit 121 shifts a direction of dust included in an air current towards the grill body 110 towards

a whirling air current of the cyclone dust collecting apparatus 10.

The filtering means 130 includes a filter support portion 131 and a filter 132 supported by the filter support portion 131. The filter support portion 131 is integrally formed with the sealing member 120, and the filter 132 is mounted
5 on the filter support portion 131.

On the other hand, the grill body 110 has a locking knob 140 disposed at a lower part thereof. As shown in FIG. 3, a hinge shaft 141 is protruded from a lower side of the grill body 110, and the locking knob 140 is rotatably connected with the hinge shaft 141 by a screw 142.

10 As shown in FIG. 4, a knob connect portion 150 is provided, corresponding to the sealing member 120. A penetrating hole 151 for receiving the locking knob 140 is formed in the knob connect portion 150, and a cam unit 152 is disposed around the penetrating hole 151.

The cam unit 152 is formed such that a locking position is 0.5mm
15 higher than an unlocking position. Therefore, the sealing member 120 is firmly secured to the grill body 110 due to an interrelated movement of the locking knob 140 on the cam unit 152.

In other words, if the locking knob 140 is turned 90° after being passing through the penetrating hole 151, the sealing member 120 is firmly secured to
20 the grill body 110. Thus, the sealing member 120 can be attached and detached to and from the grill body 110 without using any special tools.

Also, maintenance and repair of the grill assembly 100 or cleaning of the

filter 132 becomes convenient. The undesignated numerals 153 and 154 of FIG. 4 are stoppers protruded from the sealing member 120 in order to control the locking position and the unlocking position of the locking knob 120.

FIG. 5 is a view showing the grill assembly 100 with the above construction being installed at a cyclone body 20. The grill assembly 100 is removably attached to the cyclone body 20 by a connection member such as a screw (not shown).

In the meantime, when the vacuum-generating device of the vacuum cleaner operates, the whirling air current is formed inside of the cyclone body 20. Various filth included in the whirling air current is separated from the air current by the centrifugal force, and the separated filth is collected in a dust-collecting portion 30.

Some filth, which has not been separated from the air current by the centrifugal force in the dust collecting step, whirls along a center of the cyclone body 20 and moves to the grill assembly 100 due to a uprising air current.

At this time, some dust included in the air current is reflected after being collided against the dust backflow prevent unit 121 of the sealing member 120, and shifted towards the whirling air current. Thus, the dust is whirled again into the whirling air current.

Remained dust that has not been separated from the uprising air current by the dust backflow prevent unit 121 flows to the passage 111 of the grill assembly 100. The air is drawn into the grill assembly 100 through the

passage 111 due to a pressure difference in and out of the grill assembly 100.

The dust included in the air current is filtered by the filter 132, thus only the cleaned air flows to the vacuum-generating device. Therefore, the deterioration of dust collecting function of the vacuum cleaner can be prevented since the dust is drawn to the vacuum-generating device.

According to the grill assembly 100 of the cyclone dust collecting apparatus for a vacuum cleaner of the present invention, the dust cannot be drawn into the vacuum-generating device of the vacuum cleaner through the air discharge passage 22 of the cyclone body 20 along the air current, thus dust collecting function of the vacuum cleaner will be improved.

So far, the preferred embodiment of the present invention has been illustrated and described. However, the present invention is not limited to the preferred embodiment described here, and someone skilled in the art can modify the present invention without distorting the point of the present invention claimed in the claim part.

WHAT IS CLAIMED IS:

1. A grill assembly of a cyclone dust collecting apparatus for a vacuum cleaner disposed at an upper part of an air discharge passage of a cyclone body for separating dust from a whirling air current by a centrifugal
5 force by forming the whirling air current from a drawn air, the grill assembly for preventing dust from being drawn to a vacuum-generating device of the vacuum cleaner, the grill assembly, comprising:

a grill body having a plurality of passages formed therein; and
filtering means disposed along an interior wall of the grill body for
10 filtering dust drawn into the grill body through the plurality of passages.

2. A grill assembly of a cyclone dust collecting apparatus for a vacuum cleaner, comprising:

a grill body having a plurality of passages formed therein, the grill body
15 being a cylindric form having openings at both ends;

a sealing member removably connected with the grill body for sealing one opening of the grill body; and

filtering means disposed along an interior wall of the grill body for filtering dust drawn into the grill body through the passages.

20

3. The grill assembly of a cyclone dust collecting apparatus for a vacuum cleaner of claim 2, wherein the filtering means comprises:

a filter support portion integrally formed with the sealing member; and
a filter attached to the filter support portion.

4. A grill assembly of a cyclone dust collecting apparatus for a
5 vacuum cleaner, comprising:
a grill body having a plurality of passages formed therein, the grill body
being a cylindric form having openings at both ends;
a sealing member for sealing one opening of the grill body; and
means for attaching and detaching the sealing member to and from the
10 grill body.

5. The grill assembly of a cyclone dust collecting apparatus for a
vacuum cleaner of claim 4, wherein the means for attaching and detaching
comprises:
15 a locking knob disposed at a lower part of the grill body; and
a portion defining a penetrating hole corresponding to the sealing
member so that the locking knob can pass therethrough in a certain position.

6. The grill assembly of a cyclone dust collecting apparatus for a
20 vacuum cleaner of claim 5, further comprising a cam unit formed around the
penetrating hole of the sealing member, and the sealing member is firmly
secured to the grill body due to an interrelated movement of the locking knob

on the cam unit.

7. The grill assembly of a cyclone dust collecting apparatus for a vacuum cleaner of claim 6, wherein the cam unit has a higher locking position
5 than an unlocking position for about 0.5mm.

8. A grill assembly according to any one of the preceding claims, in which the grill body has a twin wall construction, defining a cavity between inner and outer walls.

10



INVESTOR IN PEOPLE

Application No: GB 0128103.9
Claims searched: 1 - 3, 8

Examiner: Bridie Collier
Date of search: 8 May 2002

Patents Act 1977 Search Report under Section 17

Databases searched:

UK Patent Office collections, including GB, EP, WO & US patent specifications, in:

UK Cl (Ed.T): B1T (TNAB, TNRT) ; B2P (P6B)

Int Cl (Ed.7): B01D 50/00 ; A47L 9/16

Other: Online: WPI, EPODOC, JAPIO

Documents considered to be relevant:

Category	Identity of document and relevant passage	Relevant to claims
X	GB 2264444 A (ATOMIC) See frame 65 and filter 36	1
X	GB 1214730 A (DONALDSON) See baffle 45 and filter 20	1
X	GB 657375 A (TRIGGS) See filter layers 22-25	1,2,8
X	DE 29709879 U1 (LUFT) See tube 2 and filter 1	1,2
X	JP 2001121040 A (AMANO) See cylinder 7 and filter 8	1,2
X	US 6042628 A (TOYO) See especially Fig 11	1,2,8

11

X	Document indicating lack of novelty or inventive step	A	Document indicating technological background and/or state of the art.
Y	Document indicating lack of inventive step if combined with one or more other documents of same category.	P	Document published on or after the declared priority date but before the filing date of this invention.
&	Member of the same patent family	E	Patent document published on or after, but with priority date earlier than, the filing date of this application.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.